

Knoxville Bolt and Screw, Inc.

Phone 865-573-1991






Fax 865-573-8617

www.knoxvillebolt.com

800-231-3309

800-231-9566





UIHW HD Self-Drilling

Size	Point	Recommendations	Picture (Not to a particular size)
8-18 x 1/2 8-18 x 5/8 8-18 x 3/4 8-18 x 1 8-18 x 1-1/4 8-18 x 1-1/2 8-18 x 2	2	Creates leak proof seal. Metal to metal fastening range 0.035 - 0.100	
10-16 x 1/2 10-16 x 5/8 10-16 x 3/4 10-16 x 1 10-16 x 1-1/4 10-16 x 1-1/2 10-16 x 2 10-16 x 3	2-3	Creates leak proof seal. Metal to metal fastening range 0.035 - 0.176	
12-14 x 3/4 12-14 x 1 12-14 x 1-1/4 12-14 x 1-1/2 12-14 x 2 12-14 x 2-1/2 12-14 x 3 12-14 x 4	3	Creates leak proof seal. Metal to metal fastening range 0.110 - 0.210	
14-14 x 3/4 14-14 x 1 14-14 x 1-1/4 14-14 x 1-1/2 14-14 x 1-3/4 14-14 x 2 14-14 x 2-1/2 14-14 x 3 14-14 x 4 14-14 x 5	3	Creates leak proof seal. Metal to metal fastening range 0.110 - 0.230	
14-10 x 7/8 #12HD	1		
12-24 x 7/8 12-24 x 1-1/4 12-24 x 1-1/2 12-24 x 2		Used in metal roofing	


Knoxville Bolt and Screw, Inc.
 Phone 865-573-1991
 Fax 865-573-8617

www.knoxvillebolt.com
 800-231-3309
 800-231-9566

410 Stainless Steel UIHW HD Self-Drilling

Size	Point	Recommendations	Picture (Not to a particular size)
10-16 x 3/4 10-16 x 1 10-16 x 1-1/4 10-16 x 1-1/2	3	Metal to metal fastening range 0.035 - 0.176	
12-14 x 3/4 12-14 x 1 12-14 x 1-1/4 12-14 x 1-1/2 12-14 x 2	3	Metal to metal fastening range 0.110 - 0.210	
14-14 x 3/4 14-14 x 1 14-14 x 1-1/4 14-14 x 1-1/2 14-14 x 2 14-14 x 2-1/2 14-14 x 3	3	Metal to metal fastening range 0.110 - 0.230	
14-10 x 7/8 #12HD	1		
12-24 x 1-1/4	5		

SIHW HD Self-Piercing

Size	Point	Recommendations	Picture (Not to a particular size)
8 x 1/2 8 x 3/4 8 x 1/2 8 x 1-1/2 8 x 2		Attaches light gauge Aluminum or steel to wood. Creates leak proof seal.	
10 x 1 10 x 1-1/2 10 x 2		#10 used in applications where higher torque values are required. #10 Dia. Needle points are 1/4" across the flats (#8HD)	